

**dröm**<sup>®</sup>  
sauna steam spa



A WORLD OF WELLBEING

Dröm UK Ltd. Dröm House, Abbot Close, Byfleet, Surrey, KT14 7JN.

Tel: 01932 355 655 | Fax: 01932 355651

Email: [info@dromuk.com](mailto:info@dromuk.com) | [www.dromuk.com](http://www.dromuk.com)

[WWW.DROMUK.COM](http://WWW.DROMUK.COM)



## Corner showers for every bathroom.

Tylö offers a variety of corner showers for domestic use and public facilities alike. They may look very different, but they all have one thing in common – the high quality that has become a byword for Tylö.

One of the big advantages of our corner showers is their simplicity. All you need is a water supply and a wastepipe or floor drain connected to the wastewater system. Another advantage is flexibility. You can fold away one of our corner showers when it's not in use, or equip another to serve as a steam room. And the size and shape is up to you. No one offers the same combination of quality, simplicity and flexibility as Tylö.

## Diamant (Art. 8900 9120)

Attractively designed corner shower with the door set at an angle. Door and walls in sturdy natural anodised aluminium profiles and clear safety glass. The door glides to and fro with just a whisper on soft-suspension, roller-bearing wheels and has a secure brush-strip seal. It can be installed to open right or left (opening width: 450 mm).

Size: 960 x 960 mm, height 1900 mm.

### OPTIONAL ACCESSORIES

Diamant can also be fitted with a steam bath. Add Diamant roof dome (see below) and suitable filler profiles. For details of steam generators, see page 114.



## Diamant roof dome



(Art. 8911 0540)

One-piece roof dome in special-grade plastic with assembly profiles of natural anodised aluminium. Specially designed to fit Diamant corner showers.

Height: 150 mm

## Perfect combination

Just add a roof dome, a VB steam generator and a CC control panel and you can transform Diamant into a sensational steam bath.



## Filler profiles

You can use these natural anodised aluminium assembly profiles to make it easier to adapt your shower to the size of your bathroom.

### **UPH** (Art. 9022 8105)

For use where water pipes are surface mounted or for increasing the installation size by 55 mm.

### **SP Linking strip**

(Art. 9022 8115)

Profile for linking shower wall to Parant.

### **KP Combi-profile**

(Art. 9022 8125)

T-shaped linking strip.

